Developmental Brain Research, 61 (1991) 293–294
Elsevier

Author Index

Alleva, E., see Calamandrei, G., 237
Ang, L.C., Munoz, D.G., Shul, D. and George, D.H., SMI-32 immunoreactivity in human striate cortex during postnatal development, 103
Aoki, A., see Pozzo Miller, L.D., 189
Aramant, R. and Seiler, M., Cryopreservation and transplantation of immature rat retina into adult rat retina, 151
Armstrong, J.N. and Pappas, B.A., The histopathological, behavioral and neurochemical effects of intraventricular injection of ethylcholine mustard aziridinium (AF64A) in the neonatal rat, 249

Baram, T.Z. and Schultz, L., Corticotropin-releasing hormone is a rapid and potent convulsant in the infant rat, 97
Baudry, M., Massicotte, G. and Hauge, S., Opposite effects of phospholipase A_2 on [^{3}H]AMPA binding in adult and neonatal membranes, 265
Becker, L., see Young, L.T., 243
Bissonnette, J.M. and Reddington, M., Autoradiographic localization of adenosine A_1 receptors in brainstem of fetal sheep, 111
Bohn, M.C., see Van Eekelen, J.A.M., 33
Brodie, C. and Vernadakis, A., Muscle-derived factors reverse the cholinotoxic effects of ethanol during early neuroembryogenesis in the chick embryo, 183
Brouard, A., see Dana, C., 259
Burke, R.E. and Reches, A., Preserved striatal tyrosine hydroxylase activity, assessed in vivo, following neonatal hypoxia-ischemia, 277

Calamandrei, G., Valanzano, A. and Alleva, E., NGF and cholinergic control of behavior: anticipation and enhancement of scopolamine effects in neonatal mice, 237
Canonico, P.L., see Sortino, M.A., 169
Chen, N.-X., see Fry, K.R., 45
Chesler, M., see Sakatani, K., 139
Chou, Y.-C., Luttge, W.G. and Sumners, C., Expression of mineralocorticoid Type I and glucocorticoid Type II receptors in astrocyte glia as a function of time in culture, 55

Dana, C., Pelaprat, D., Vial, M., Brouard, A., Lhiaubet, A.-M. and Rostene, W., Characterization of neurotensin binding sites on rat mesencephalic cells in primary culture, 259
De Kloet, E.R., see Van Eekelen, J.A.M., 33
De Kloet, E.R., see Voorhuis, T.A.M., 23
De Wied, D., see Voorhuis, T.A.M., 23
Drews, U., see Sibug, R.M., 11

Ezerman, E.B., Cerebellar reaggregate and explant transplants contain Bergmann glial fibers, 143

Fitzgerald, M., see Payne, J., 173
Frostholm, A., see Zdilar, D., 63
Fry, K.R., Chen, N.-X., Glazebrook, P.A. and Lam, D.M.K., Postnatal development of ganglion cells in the rabbit retina: characterizations with AB5 and GABA antibodies, 45

Gallardo, K.A., see Gorenstein, C., 271
George, D.H., see Ang, L.C., 103
Gidday, J.M., see Park, T.S., 73
Gilbert, J., see Young, L.T., 243
Glazebrook, P.A., see Fry, K.R., 45
Gonzales, E., see Park, T.S., 73
Gorenstein, C., Gallardo, K.A. and Robertson, R.T., Molecular forms of acetylcholinesterase in cerebral cortex and dorsal thalamus of developing rats, 271
Graeber, M.B., see Schoen, S.W., 125
Graybiel, A.M., see Nastuk, M.A., 1

Hassan, A.Z., see Sakatani, K., 139
Hauge, S., see Baudry, M., 265
Hemond, S.G. and Morest, D.K., Formation of the cochlea in the chicken embryo: sequence of innervation and localization of basal lamina-associated molecules, 87
Hochberg, R.B., see Sibug, R.M., 11
Holman, S.D. and Hutchison, J.B., Differential effects of neonatal castration on the development of sexually dimorphic brain areas in the gerbil, 147
Hornykiewicz, O., see Young, L.T., 243
Hutchison, J.B., see Holman, S.D., 147

Jodogne, C., see Tirelli, E., 207

Kanazawa, H., see Sakurai, H., 161
Kawaguchi, S., Murata, M. and Kurimoto, Y., Ontogenesis of the cerebellofugal projection in the rat, 285
Kawashima, S., see Kengaku, M., 281
Kawata, A., see Kengaku, M., 281
Kengaku, M., Kawata, A., Kawashima, S. and Nakane, M., Role of fibronectin in the inhibitory effect of TGF-β on choline acetyltransferase activity in co-cultures of spinal cord neurons and myotubes, 281
Kentroti, S. and Vernadakis, A., Effects of early in ovo administration of ethanol on expression of the GABAergic neuronal phenotype in the chick embryo, 290
Kikuchi, K., see Sakurai, H., 161
Kish, S.J., see Young, L.T., 243
Kreutzberg, G.W., see Schoen, S.W., 125
Kurimoto, Y., see Kawaguchi, S., 285
Kuromi, H., Molecules secreted from target and non-target tissues promote and repel sympathetic fiber distribution in vitro, 268

Lam, D.M.K., see Fry, K.R., 45
Lasiter, P.S., Effects of early postnatal receptor damage on dendritic development in gustatory recipient zones of the rostral nucleus of the solitary tract, 197
Ledeen, R.W., see Wu, G., 217
Lhiaubet, A.-M., see Dana, C., 259
Li, P.P., see Young, L.T., 243
Lothman, E.W., see Michelson, H.B., 79
Lu, Z.-H., see Wu, G., 217
Luttge, W.G., see Chou, Y.-C., 55

Markham, J.A., Phelps, P.E. and Vaughn, J.E., Development of rostrocaudal dendritic bundles in rat thoracic spinal cord: analysis of cholinergic sympathetic preganglionic neurons, 229
Massicotte, G., see Baudry, M., 265
Michelson, H.B. and Lothman, E.W., An ontogenetic study of kindling using rapidly recurring hippocampal seizures, 79
Middleton, J., see Payne, J., 173
Morest, D.K., see Hemond, S.G., 87
Motoike, T., see Tsuneishi, S., 117
Munoz, D.G., see Ang, L.C., 103
Murata, M., see Kawaguchi, S., 285

Nakamura, H., see Tsuneishi, S., 117
Nakane, M., see Kengaku, M., 281
Nastuk, M.A. and Graybiel, A.M., Pharmacologically defined M1 and M2 muscarinic cholinergic binding sites in the cat's substantia nigra: development and maturity, 1
Nicoletti, F., see Sortino, M.A., 169

Ohashi, T., see Tsuneishi, S., 117

Pappas, B.A., see Armstrong, J.N., 249
Park, T.S., Gidday, J.M. and Gonzales, E., Local cerebral blood flow response to locally infused 2-chloroadenosine during hypotension in piglets, 73
Payne, J., Middleton, J. and Fitzgerald, M., The pattern and timing of cutaneous hair follicle innervation in the rat pup and human fetus, 173
Pelaprat, D., see Dana, C., 259
Perikel, J.-J., see Tirelli, E., 207
Phelps, P.E., see Markham, J.A., 229
Pozzo Miller, L.D. and Aoki, A., Stereological analysis of the hypothalamic ventromedial nucleus. II. Hormone-induced changes in the synaptogenic pattern, 189

Reches, A., see Burke, R.E., 277
Reddington, M., see Bissonnette, J.M., 111
Robertson, R.T., see Gorenstein, C., 271
Rostene, W., see Dana, C., 259
Rotter, A., see Zdilar, D., 63

Sakatani, K., Hassan, A.Z. and Chesler, M., GABA-sensitivity of dorsal column axons: an in vitro comparison between

adult and neonatal rat spinal cords, 139
Sakurai, H., Kikuchi, K., Tsuchiya, T., Kanazawa, H. and Tsuda, M., Developmentally and regionally regulated alterations of octamer- and GC-box-binding activities during the postnatal development of mouse cerebellum, 161
Sano, K., see Tsuneishi, S., 117
Schoen, S.W., Graeber, M.B., Tóth, L. and Kreutzberg, G.W., Synaptic 5′-nucleotidase is transient and indicative of climbing fiber plasticity during the postnatal development of rat cerebellum, 125
Schultz, L., see Baram, T.Z., 97
Seiler, M., see Aramant, R., 151
Shughrue, P.J., see Sibug, R.M., 11
Shul, D., see Ang L.C., 103
Sibug, R.M., Stumpf, W.E., Shughrue, P.J., Hochberg, R.B. and Drews, U., Distribution of estrogen target sites in the 2-day-old mouse forebrain and pituitary gland during the 'critical period' of sexual differentiation, 11
Siu, K.P., see Young, L.T., 243
Sortino, M.A., Nicoletti, F. and Canonico, P.L., 'Metabotropic' glutamate receptors in rat hypothalamus: characterization and developmental profile, 169
Stumpf, W.E., see Sibug, R.M., 11
Sumners, C., see Chou, Y.-C., 55

Takada, S., see Tsuneishi, S., 117
Tirelli, E., Jodogne, C. and Perikel, J.-J., Adult-like biphasic neurobehavioral changes induced by a GABA-A agonist in infant and weanling mice, 207
Tóth, L., see Schoen, S.W., 125
Tsuchiya, T., see Sakurai, H., 161
Tsuda, M., see Sakurai, H., 161
Tsuneishi, S., Takada, S., Motoike, T., Ohashi, T., Sano, K. and Nakamura, H., Effects of dexamethasone on the expression of myelin basic protein, proteolipid protein, and glial fibrillary acidic protein genes in developing rat brain, 117

Valanzano, A., see Calamandrei, G., 237
Van Eekelen, J.A.M., Bohn, M.C. and De Kloet, E.R., Postnatal ontogeny of mineralocorticoid and glucocorticoid receptor gene expression in regions of the rat tel- and diencephalon, 33
Vaughn, J.E., see Markham, J.A., 229
Vernadakis, A., see Brodie, C., 183
Vernadakis, A., see Kentroti, S., 290
Vial, M., see Dana, C., 259
Voorhuis, T.A.M., De Kloet, E.R. and De Wied, D., Ontogenetic and seasonal changes in immunoreactive vasotocin in the canary brain, 23

Warsh, J.J., see Young, L.T., 243
Wu, G., Lu, Z.-H. and Ledeen, R.W., Correlation of gangliotetraose gangliosides with neurite forming potential of neuroblastoma cells, 217

Young, L.T., Warsh, J.J., Li, P.P., Siu, K.P., Becker, L., Gilbert, J., Hornykiewicz, O. and Kish, S.J., Maturational and aging effects on guanine nucleotide binding protein immunoreactivity in human brain, 243

Zdilar, D., Rotter, A. and Frostholm, A., Expression of $GABA_A$/benzodiazepine receptor α_1-subunit mRNA and [^{3}H]-flunitrazepam binding sites during postnatal development of the mouse cerebellum, 63